

Chapter 17.73

CIX-1, CIX-2, IG AND IO INDUSTRIAL ZONES

Sections:

17.73.010	Title, Purpose, and Applicability
17.73.020	Permitted and Conditionally Permitted Uses and Facilities
17.73.030	Property Development Standards
17.73.040	Special Regulations for Work/Live Units in the Industrial Zones
17.73.050	Parking and Loading Dock Restrictions
17.73.060	Referral to Other Applicable Regulations

17.73.010 Title, Purpose, and Applicability

The provisions of this chapter shall be known as the industrial zones regulations. This chapter establishes regulations for the (CIX-1) Commercial Industrial Mix-1, (CIX-2) Commercial Industrial Mix-2, (IG) General Industrial, (IO) and Industrial Office.

These industrial zoning districts are intended to create, preserve, and enhance areas for industrial uses, including manufacturing, scientific and product-related research and development, construction, transportation, warehousing/storage/distribution, recycling/waste-related activities, clean technology, and similar uses. The primary purposes of these areas are to support Oakland's economic base and to provide employment opportunities. The specific purposes of these industrial districts are to:

- A. Provide a diversified economic base and a wide range of employment opportunities;
- B. Maximize Oakland's regional role as a transportation, distribution, and communications hub;
- C. Support Port operations and expansion by providing land for Port services such as trucking, warehousing, and distribution;
- D. Preserve areas with good freeway, rail, seaport, and/or airport access for business and industrial uses;
- E. Prohibit residential uses and limit commercial uses in General Industrial (IG) areas so that a maximum amount of the City's land base is preserved for industrial uses, and so that industrial uses may operate without impacting those activities;
- F. Locate high impact industrial uses away from residential areas; and
- G. Allow heavy-impact or large scale commercial retail uses on sites with direct access to the regional transportation system.

A. CIX-1 Commercial Industrial Mix 1 Zone. The CIX-1 zone is intended to create, preserve, and enhance the industrial areas of West Oakland that are appropriate for a wide variety of businesses and related commercial and industrial establishments. This zone is intended to accommodate existing older industries and provide flexibility in order to anticipate new technologies. Large-scale commercial and retail uses will be limited to sites with direct access to the regional transportation system.

B. CIX-2 Commercial Industrial Mix 2 Zone. The CIX-2 zone is intended to create, preserve, and enhance areas of the Central and Eastern portions of the City that are appropriate for a wide variety of heavy commercial and industrial establishments. Uses with greater off-site impacts may be permitted provided they meet specific performance standards and are buffered from residential areas.

C. IG General Industrial Zone. The IG zone is intended to create, preserve and enhance areas of the City that are appropriate for a wide variety of businesses and related commercial and industrial establishments that may have the potential to generate off-site impacts such as noise, light/glare,

odor, and traffic. This zone allows heavy industrial and manufacturing uses, transportation facilities, warehousing and distribution, and similar and related supporting uses. Uses that may inhibit such uses, or the expansion thereof, are prohibited. This district is applied to areas with good freeway, rail, seaport, and/or airport access.

D. IO Industrial Office Zone. The IO zone is intended to create and support areas of the City that are appropriate for a wide variety of businesses and related commercial and industrial establishments in a campus-style setting. Development and performance standards in this district are more restrictive and accommodate large-parcel development in an attractive, well-landscaped setting. Future development shall reflect large-scale office, research and development, light industrial, wholesaling and distribution, and similar and related supporting uses.

17.73.020 Permitted and Conditionally Permitted Uses and Facilities

The following table lists the permitted, conditionally permitted, and prohibited uses and facilities in the CIX-1, CIX-2, IG and IO zones. The descriptions of these uses are contained in Chapter 17.10.

- “P” designates permitted uses and facilities in the corresponding zone.
- “C” designates uses and facilities that are permitted only upon the granting of a conditional use permit (see Chapter 17.134) in the corresponding zone.
- “L” designates uses and facilities subject to certain limitations listed at the bottom of the Table.
- “--” designates uses and facilities that are prohibited in the corresponding zone.

Table 17.73.020: Permitted and Conditionally Permitted Uses and Facilities

Uses	Zones				Additional Regulations
	CIX-1	CIX-2	IG	IO	
Residential Uses	All residential uses prohibited in each zone				
Civic Uses					
Essential Service	C	C	C	C	
Limited Child-Care	--	--	--	--	
Community Assembly	P	C	--	C	
Community Education	P	C	--	C	
Nonassembly Cultural	P	C	--	C	
Administrative	P	C	--	C	
Health Care	P	--	--	--	
Special Health Care	C	C	--	--	-
Utility and Vehicular	P	C	C	C	
Extensive Impact	C	C	C	C	
Telecommunication	P	P	P	P	See Chapter 17.128
Commercial Uses					
General Food Sales	P	C (L1)	C (L1)	P (L1)	
Convenience Market	C	C	--	C	See Section 17.102.210
Fast Food Restaurant	C	C	--	C	
Alcoholic Beverage Sales	L2	C	--	--	
Convenience Sales and Service	P	P	--	P	
Mechanical or Electronic Games	L3	--	--	--	See Section 17.102.210
Medical Service	P	C	--	C	
General Retail Sales	P	--	--	--	Retail allowed as an accessory use only in CIX-2 and IO per Section 17.10.040

Table 17.73.020: Permitted and Conditionally Permitted Uses and Facilities

Uses		Zones				Additional Regulations
		CIX-1	CIX-2	IG	IO	
Large-Scale Combined Retail and Grocery Sales		--	--	--	--	
General Personal Service		P	--	--	--	
Consultative and Financial Services		P	--	--	--	
Check Cashier and Check Cashing		--	--	--	--	
Consumer Laundry and Repair Service		P	C	--	--	
Group Assembly		P (L7)	C (L8)	C (L8)	C (L8)	
Administrative		P	P	L9	P	
Business and Communication Service		P	P	P	P	
Retail Business Supply		P	P	P	C	
Research Service		P	P	C	P	
General Wholesale Sales		P	P	P	P	No retail ancillary activities allowed in IG or IO.
Transient Habitation		--	--	--	--	
Construction Sales and Service		L3	L3	--	--	
Automotive Sales, Rental, and Delivery		P	C	--	C	
Automotive Servicing		P	P	P	--	If located within (150) feet of any residential zone boundary is pursuant to the design review procedure in Chapter 17.136.
Automotive Repair and Cleaning		L3	L3	P	--	If located within (150) feet of any residential zone boundary is pursuant to the design review procedure in Chapter 17.136.
Automotive Fee Parking		L3	P	P	P	
Animal Care		L4	C	C	--	
Undertaking Service		P	C	C	--	
Industrial Uses						
Custom Manufacturing		P	P	P	P	
Light Manufacturing		P	P	P	P	
General Manufacturing		L3	L3	P	--	
Heavy Manufacturing		--	--	C	--	
Research and Development		P	P	P	P	
Construction Operations		L3	L3	L3	C	
Warehousing, Storage and Distribution						
A.	General Warehousing, Storage and Distribution	P	P	P	P	No retail component allowed in IG or IO. See Section 17.73.060
B.	General Outdoor Storage	C	L3	P	P	

Table 17.73.020: Permitted and Conditionally Permitted Uses and Facilities

Uses		Zones				Additional Regulations
		CIX-1	CIX-2	IG	IO	
C.	Self or Mini Storage	C	C	--	C	
D.	Container Storage	--	L3	P	--	
E.	Automotive Salvage and Junk Yards	--	--	L3	--	
Regional Freight & Transportation:						
A.	Seaport	--	--	P	C	
B.	Rail Yard	--	C	P	--	
Trucking & Trucking-related Activities:						
A.	Freight/Truck Terminal	L5	L3	P	--	If located within (150) feet of any residential zone boundary is pursuant to the design review procedure in Chapter 17.136.
B.	Truck Yard	L5	C	P	C	
C.	Truck Weigh Stations	--	P	P	--	
D.	Truck & Other Heavy Vehicle Sales, Rental & Leasing	L6	P	P	P	
E.	Truck & Other Heavy Vehicle Service, Repair, and Refueling	L5	P	P	--	
Recycling & Waste Related Activities						
A.	Satellite Recycling Collection Centers	C	C	C	C	
Hazardous Materials Production, Storage & Waste-Related Activities						L11 See also Health & Safety Protection Zone (S-19)
A.	Small Scale Transfer and Storage	--	C	C	--	
B.	Industrial Transfer/Storage	--	--	C	--	
C.	Residuals Repositories	--	--	C	--	
D.	Oil and Gas Storage	--	--	L2	--	
Agricultural and Extractive uses						
Plant nursery		P	P	P	--	See Section 17.102.220
Crop and animal raising		--	--	C	--	
Mining and Quarrying Extractive		--	--	C	--	
Facility Types		Zones				Additional Regulations
		CIX-1	CIX-2	IG	IO	
Residential Facilities		All residential uses prohibited in each zone				
Nonresidential Facilities						
Enclosed Nonresidential		P	P	P	P	
Open Nonresidential		P	P	P	P	
Sidewalk Cafe		C	C	--	--	See Section 17.102.335
Drive-In Nonresidential		--	--	--	--	
Drive-Through Nonresidential		C	C	C	C	See Section 17.102.290
Shopping Center Facility		--	--	--	--	
Telecommunications						
Micro Telecommunications		P	P	P	P	See Chapter 17.128
Mini Telecommunications		P	P	P	P	

Table 17.73.020: Permitted and Conditionally Permitted Uses and Facilities

Uses	Zones				Additional Regulations
	CIX-1	CIX-2	IG	IO	
Macro Telecommunications	C	C	P	P	
Monopole Telecommunications	C	C	P	P	
Tower Telecommunications	--	--	P	P	
Signs					
Residential Signs	--	--	--	--	See Chapter 17.104
Special Signs	P	P	P	P	
Development Signs	P	P	--	--	
Realty Signs	P	P	P	P	
Civic Signs	P	P	P	P	
Business Signs	P	P	P	P	
Advertising Signs	--	--	--	--	

Limitations:

- L1. Limited to location on a ground floor in CIX-2, IG and IO. Over 5,000 sf floor area requires a conditional use permit in CIX-2, IG, and IO.
- L2. Prohibited within 300 feet of a residential zone and requires a conditional use permit elsewhere throughout the zone. (Conditional use permit is required in CIX-2).
- L3. A conditional use permit is required if within 300 feet of a residential zone; Permitted if beyond 300 feet of a residential zone.
- L4. A conditional use permit is required if the use involves any of the following: a) outdoor yard activities; or b) ancillary overnight boarding.
- L5. Prohibited within 600 feet of a residential zone. A conditional use permit is required elsewhere throughout the zone.
- L6. A conditional use permit is required a) if within 300 feet of a residential zone, and b) if located anywhere in the district when outdoor repair and service activity exceeds 50% of site area.
- L7. A conditional use permit is required for entertainment uses.
- L8. Entertainment, educational and athletic services are not permitted.
- L9. Administrative activities accessory to an existing industrial activity are limited to twenty (20) percent of floor area in IG.
- L10. Prohibited within 300 feet of a residential zone; a conditional use permit is required within 300 to 600 feet of a residential zone; permitted if beyond 600 feet of a residential zone boundary.
- L11. A conditional use permit is required for electroplating activities.

17.73.030 Property Development Standards

Table 17.73.030 contains the property development standards for all zones within this Chapter.

Table 17.73.030: Property Development Standards

Development Standards	Zones				Additional Regulations
	CIX-1	CIX-2	IG	IO	
Minimum Lot Frontage	25 ft	25ft	25ft	100ft	1
Minimum Lot Width	25 ft	25ft	25ft	100ft	1
Minimum Lot Area (square feet)	5,000 sf	10,000 sf	10,000 sf	25,000 sf	1
Floor-Area Ratio (FAR)					

Greater than 300 feet of a residential zone boundary	4.0	4.0	2.0	4.0	
Within 300 feet of a residential zone boundary	2.0	2.0	1.0	2.0	2
Maximum Height	None	55 ft	None	55 ft	3, 4
Minimum Front Yard Setback	0 ft	0 ft	0 ft	20 ft	5
Minimum Rear Yard Setback	0 ft				5
Minimum Interior Side Yard Setback	0 ft				5
Minimum Street Side Yard Setback Of A Corner Lot	10 ft	10 ft	10 ft	20 ft	5
Site Landscaping (% of lot area)	5%	5%	5%	15%	6, 7
Parking Lot Landscaping (% of lot area)	10%	10%	10%	10%	8
Street Trees	Required	Required	See also note 10	Required	9
Site and Driveway Access – Minimum Distance from any residential or open space boundary	50 ft	50 ft	50 ft	50 ft	11
Driveway Width Maximum	35 ft	35 ft	35 ft	35 ft	12
Pedestrian Walkway	Required	Required	Required	Required	13
Minimum Fence Height in Yards adjacent to Residential or Open Space Zones	8 ft	8 ft	8 ft	8 ft	14
Maximum Fence Height in Yards adjacent to Residential or Open Space Zones	15 ft	15 ft	15 ft	15 ft	14, 15

Additional Regulations Noted in Table 17.73.02:

1. See Sections 17.106.010 and 17.106.020 for exceptions to street frontage, lot width and lot area regulations.
2. A conditional use permit to exceed the permitted floor area ratio (FAR) may be allowed, as shown in parentheses above in Table 17.31.030, upon determination that the proposal conforms to the conditional use permit criteria set forth in the conditional use permit procedure in Chapter 17.134; and to all of the following additional criteria:
 - a. Additional intensity does not subject residentially zoned areas within 300 feet to significant adverse impacts related to: truck traffic; nighttime operations; noise; vehicular traffic; hazardous materials exposure and risk; air emissions; blockage of sunlight to private open space areas; or other such environmental impacts;
 - b. The site is located on a major arterial, freeway, rail line or other location that has adequate capacity to handle the intensity and type of traffic volume.
 - c. If adjacent to a residential or open space zone boundary the proposed development has a step back of one foot to every one foot of height, beginning with a maximum height of 30 feet at all required yard setbacks; and
 - d. All new development activities meet the Performance Standards in 17.120.

3. Except as otherwise provided in Section 17.108.030 (Allowed Projections above Height Limits), Chapter 17.128 (Telecommunications Regulations), and Subsection 17.108.010 on lots lying along a boundary of certain residential zones. See Section 17.104.020 for maximum height of signs.
4. The height of materials stored in any outdoor yards may be no higher than eight (8) feet within the required rear or side yard setback along the property line. However, materials may be stacked up to the height of the wall, and may be stacked within the required yard area if a solid masonry wall eight (8) to ten (10) feet in height and buffer planting is installed. The aisle width and material composition of all stored material, and the ultimate height of all outdoor materials stored beyond the 10 foot yard requirement, shall be according to the Fire Code regulations.
5. See 17.108.040, 17.108.070, 17.108.090, 17.108.100, 17.108.110, and 17.108.130 for minimum front, side, and rear yards in commercial and industrial zones which may be across from, abut or be adjacent to a residential zone or alley. Accessory structures or other facilities allowed within the yards and setbacks is in sections 17.108.130.
6. All new projects which involve the construction of a new building, or the expansion or replacement of existing building footprint by more than twenty (20%) percent such that the floor area to site ratio exceeds 35%, shall comply with the landscape requirements. Landscaping shall consist of pervious surface with lawn, ground cover, shrubs, permeable paving materials, and/or trees and which is irrigated and maintained. See also 17.124 Landscaping and Screening Standards.
7. In the IO district, the minimum front yard setback area required shall, except for driveways, walkways, and allowable signs, be developed as open landscaped areas with lawn, ground cover, shrubs, trees or decorative and permeable paving materials, subject to the standards for required landscaping and screening in Chapter 17.124.
8. Parking Lot Landscaping applies only to lots associated with new construction with more than 25,000 sf floor area. Shade trees shall be provided at a ratio of 1 tree for every 10 spaces through the parking lot. A minimum of 10 percent of a surface parking lot shall be landscaped accompanied by an irrigation system that is permanent, below grade and activated by automatic timing controls which may be provided entirely in permeable surfacing in lieu of irrigated landscaping if approved through Design Review. Parking lots located adjacent to a public right-of-way shall include screening consisting of a minimum of five (5) foot deep planted area or a three (3) foot tall opaque, concrete, or masonry wall. Chain link, cyclone, and barbed wire fencing is prohibited in all cases.
9. For all projects requiring a building permit, street trees are required. In addition to the general landscaping requirements set forth above, a minimum of one fifteen-gallon tree, or substantially equivalent landscaping consistent with city policy and as approved by the Director of City Planning, shall be provided for every twenty (20) feet of street frontage or portion thereof and, if a curbside planting strip exists, for every twenty-five (25) feet of street frontage. On streets with sidewalks where the distance from the face of the curb to the outer edge of the sidewalk is at least six and one-half feet, the trees to be provided shall include street trees to the satisfaction of the Tree Division.
10. The street tree requirement noted above shall apply only to properties in the IG zone that have frontage on San Leandro Street, 98th Avenue, 66th Avenue, and Hegenberger Road.
11. Applies to new development; or expansion of industrial or commercial buildings by more than 20 percent floor area; or b) addition or expansion of an existing building so that the building to land ratio exceeds 35 percent, whichever is greater; and all new driveway projects. This requirement may be waived administratively if such distance requirement will impede direct access to a rail line.
12. Driveway shall not exceed 35 feet in width without obtaining approval from the Engineering Department of Building Services through the Driveway Appeal Process.
13. A clearly defined and lighted walkway, at least four (4) feet wide, shall be provided between the main building entry and a public sidewalk for all new development. On-site walkways shall be

separated from on-site automobile circulation and parking areas by landscaping, a change in paving material, or a change in elevation.

14. Applies to all property lines in industrial zones, except those fronting a public street, which directly abut a residential or open space zone. All buffering Requirements apply to new development; or expansion of an industrial or commercial building by more than 20 percent floor area or b) addition or expansion of an existing building so that the building to land ratio exceeds 35 percent, whichever is greater.
15. A reduced buffer requirement may be permitted with the provision of a solid wood or articulated masonry wall of at least 8 feet in height in combination with a reduced buffer width as well as fewer trees and shrubs at a standard appropriate for minimizing the incompatibility between uses. The planting requirement may be eliminated if appropriate and approved by the Planning Director. The fence or wall design shall be approved by the Planning Director.

17.73.040 Special Regulations for Work/Live Units in the Industrial Zones

A. **Applicability.** A work/live unit in the industrial zones must meet all applicable regulations contained in this section. Regulations in this section supersede regulations contained in Section 17.102.190 relating to the conversion of buildings originally designed for commercial or industrial activities into joint living and working quarters for work/live units in the industrial zones only.

B. **Definition.** A “work/live unit” means a room or suite of rooms that are internally connected maintaining a common household that includes: (1) cooking space and sanitary facilities that satisfy the provisions of other applicable codes, and (2) adequate working space reserved for, and regularly used by, one or more persons residing therein. A work/live unit accommodates a primary nonresidential activity with an accessory residential component.

C. **Conditional use permit required.**

1. Establishment of a work/live unit for new construction is only permitted upon determination that the proposal conforms to the conditional use permit criteria set forth in the conditional use permit procedure in Chapter 17.134 on lots that are both: 1) in the CIX-1 or CIX-2 zones and 2) within three-hundred feet of a residential zone.
2. Establishment of a work/live unit through the conversion of an existing building originally designed for commercial or industrial activities is permitted in all industrial zones with the granting of a conditional use permit pursuant to the conditional use permit procedure in Chapter 17.134 provided there are existing artist and/or artisan residents who meet the requirements of Zoning Code Bulletin regarding “live/work” (issued August 29, 2001 and amended August 23, 2004).

D. **Regular design review required.** Establishment of a work/live unit shall only be permitted upon determination that the proposal conforms to the regular design review criteria set forth in the design review procedure in Chapter 17.136 and to all of the following additional criteria:

1. That the exterior of a new building containing primarily work/live units in the industrial zones has a commercial or industrial appearance. This includes, but is not necessarily limited to, the use of nonresidential building styles or other techniques;
2. That units on the ground floor or level of a building have a business presence on the street. This includes, but is not necessarily limited to, providing roll up doors at the street or storefront style windows that allow interior space to be visible from the street, a business door that is oriented towards the street, a sign or other means that identifies the business on the door and elsewhere, a prominent ground floor height, or other techniques;
3. That the layout of nonresidential floor areas within a unit provides a functional and bona fide open area for working activities;

4. That the floor and site plan for the project include an adequate provision for the delivery of items required for a variety of businesses. This may include, but is not necessarily limited to, the following:
 - a. Service elevators designed to carry and move oversized items,
 - b. Stairwells wide and/or straight enough to deliver large items,
 - c. Loading areas located near stairs and/or elevators and
 - d. Wide corridors for the movement of oversized items; and
5. That the floor and site plan for the project provide units that are easily identified as businesses and conveniently accessible by clients, employees and other business visitors.

E. Activity, parking, loading, open space, and unit size standards for work/live units. The following table contains the activities allowed in a work/live unit; the minimum size of an industrial work/live unit; and the parking, loading and open space required for each work/live unit:

Table 17.73.040.C Activity, parking, loading, open space, and unit size standards for work/live units.

Standard	Requirement	Notes
Activities allowed in a work/live unit	Same permitted and conditionally permitted activities as described in Section 17.73.020 for the applicable base zone.	
Required parking	One parking space per unit plus one additional unassigned visitor or employee parking space per five work/live units	1, 3
Required loading	Square feet of facility	Requirement
	Less than 10,000 square feet	No berth required
	10,000--69,999 square feet	One berth
	70,000--130,000 square feet	Two berths
	Each additional 200,000 square feet	One additional berth
Required usable open space	75 square feet of usable open space per unit	2, 3
Minimum size of unit	No individual unit shall be less than eight hundred (800) square feet of floor area	

Notes:

1. See Chapter 17.116 for other off-street parking standards.
2. All required usable open space shall meet the usable open standards contained in Chapter 17. 126, except that all usable open space work/live units may be provided above ground. Further, each square foot of private usable open space equals two square feet towards the total usable open space requirement.
3. Parking and open space standards apply to new construction. For conversion of existing buildings, maintaining existing parking and open space is required.

F. A work/live unit shall consist of a maximum of one-third residential floor area with the remaining floor area to be used for the primary non-residential activity. All required plans for the creation of industrial work/live units shall: (1) delineate areas designated to contain residential activities and areas designated to contain nonresidential activities, and (2) contain a table showing the square footage of each unit devoted to residential and nonresidential activities.

G. Work/live space shall be considered Commercially/ Industrially Oriented Joint Living and Working Quarters under the Building Code. Any building permit plans for the construction or establishment of work/live units shall: (1) clearly state that the proposal includes

Commercially/Industrially Joint Living and Working Quarters and (2) label the units intended to be these units as Commercially/ Industrially Joint Living and Working Quarters. This requirement is to assure the City applies building codes that allow industrial activities in work/live units in the industrial zones.

H. Each unit shall contain at least one tenant that operates a business within that unit. That tenant shall possess a valid and active City of Oakland Business Tax Certificate to operate a business out of the unit.

I. For any work/live unit, a statement of disclosure shall be: (1) provided to prospective owners or tenants before a unit or property is rented, leased, or sold, and (2) recorded with the County of Alameda as a Notice of Limitation and in any other covenant, conditions and restrictions associated with a facility. This statement of disclosure shall contain the following acknowledgments:

1. The unit is in a nonresidential facility that allows commercial and/or industrial activities that may generate odors, truck traffic, vibrations, noise and other impacts at levels and during hours that residents may find disturbing.

2. Each unit shall contain at least one tenant that operates a business within that unit. This tenant must possess an active City of Oakland Business Tax Certificate for the operation out of the unit.

J. Each building with a work/live unit shall contain a sign that: (1) is permanently posted; (2) is at a common location where it can be frequently seen by all tenants such as a mailbox, lobby, or entrance area; (3) is made of durable material; (4) has a minimum dimension of nine by eleven inches and lettering at least one-half an inch tall. This sign shall contain the following language: "This development contains work/live units. As such, please anticipate the possibility of odors, truck traffic, noise or other impacts at levels and hours that residents may find disturbing."

K. The development of work/live units in the industrial zones shall not be considered adding housing units to the City's rental supply, nor does it create "conversion rights" under the City's condominium conversion ordinance, O.M.C. Chapter 16.36, nor are the development standards for work/live units intended to be a circumvention of the requirements of the City's condominium conversion ordinance, O.M.C. Chapter 16.36.

17.73.050 Parking and Loading Dock Restrictions

A. Off-street parking and loading shall be provided as prescribed in the off-street parking and loading requirements in Chapter 17.116.

B. Parking for new development shall be located at the rear of the site or at the side of the building in the CIX-1, CIX-2, and IO except for drop-off areas, which may be at the entry, except where access to existing loading docks and/or rail lines is required. New truck loading docks shall not be located closer than 50 feet from property line as measured from the subject dock to any property boundary if located within 300 feet of a residential zone, unless such a distance requirement will impede direct access to a rail line. Truck docks shall be located such that trucks do not encroach into the public right of way. All existing loading docks are not subject to this requirement.

17.73.060 Referral to Other Applicable Regulations

The following table contains referrals to other regulations that may apply:

Table 17.73.03: Referral to Other Regulations

Subject	Section
Required number, dimensions, and location of parking spaces; maneuvering aisle dimensions, and related regulations	17.116
Sign regulations	17.104.20 17.104.060
Buffering regulations, including the buffering of parking, loading, glare, and storage from other properties	17.110
Landscaping and screening, including street trees	17.66.140A 17.108.040 17.124 17.68.130A
Recycling space requirements	17.118
Nonconforming uses and facilities	17.114
Joint living and working quarters	17.102.190
Performance standards regarding the control of noise, odor, smoke, and other objectionable impacts	17.120
The demolition of living units and the conversion of a living unit to a Nonresidential Use	17.102.230
Accessory Uses	17.10.040
Fence and retaining wall standards, including location, height, and materials	17.108.040
Expanding a use into adjacent zones	17.102.110
Application of zoning regulations to lots divided by zone boundaries	17.210.070
Landmarks	17.05
Special Restrictions on Establishments Selling Alcoholic Beverages (not low or medium residential zones)	17.102.210
Regulations applying to tobacco-oriented activities (not low or medium residential zones)	17.102.350
Microwave dishes and energy production facilities	17.102.240
Special regulations applying to adult entertainment activities (not low or medium residential zones)	17.102.160
Special regulations applying to massage service activities (not low or medium residential zones)	17.102.170
Buffering regulations for lots with three or more required parking space. This includes the screening of parking, loading, glare, and storage from residential properties and zones	17.110.030
Buffer Regulations for commercial and industrial uses next to residential and open space zones	17.110
Special regulations applying to electroplating activities	17.102.340
S-19 Health and Safety Protection Overlay Zone	17.100