

# ADULT DOGS

Type	Food	Feeding Times	Vaccine	Deworm	Deflea
<b>Medium / Large Breed</b>	Adult Hard Food	<b>1X</b>	<u>Dhpp</u> / <u>Bordatella</u> on intake	<u>Strongid</u> with adoption card and in 2 weeks	<u>Flea meds</u> with adoption card and again in 4 weeks
<b>Small</b>	Puppy Hard Food (Fill small metal bowl)	<b>2 X</b> (refill bowl during second feeding if needed)	<u>Dhpp</u> / <u>Bordatella</u> on intake	<u>Strongid</u> with adoption card and in 2 weeks	<u>Flea meds</u> with adoption card and again in 4 weeks
<b>Very small</b> (under 5 lbs)	Soft Puppy Food	<b>2X</b>	<u>Dhpp</u> / <u>Bordatella</u> on intake	<u>Strongid</u> with adoption card and in 2 weeks  <u>Droncit</u> with adoption card	<u>Flea meds</u> with adoption card and again in 4 weeks
<b>Elderly</b> bad teeth	Soft Puppy Food	<b>2X</b>	<u>Dhpp</u> / <u>Bordatella</u> on intake	<u>Strongid</u> with adoption card and in 2 weeks	<u>Flea meds</u> with adoption card and again in 4 weeks
<b>Picky eaters</b> – <i>appears to not eat well for 3 days or more</i>	Soft Puppy Food	<b>2X</b>	<u>Dhpp</u> / <u>Bordatella</u> on intake	<u>Strongid</u> with adoption card and in 2 weeks	<u>Flea meds</u> with adoption card and again in 4 weeks
<b>Emaciated</b>	Adult Hard Food (small amount)	<b>Multiple small meals</b>	<u>Dhpp</u> / <u>Bordatella</u> on intake	<u>Strongid</u> after intake and in 2 weeks.  Ponazuril on intake	<u>Flea meds</u> on intake and again in 4 weeks
<b>Moms with puppies</b>	Give bowl of <b>soft food</b> and a separate bowl of <b>hard puppy</b> food	<b>2X</b>	<u>Dhpp</u> / <u>Bordatella</u> on intake	<u>Strongid</u> after intake and in 2 weeks.  <u>Ponazuril</u> after intake	<u>Flea meds</u> on intake and again in 4 weeks

# PUPPIES

Type	Food	Feeding Times	Vaccine	Deworm	Deflea
<b>Medium / Large breed between 8 weeks and 5 months</b> <i>(adult teeth coming in)</i>	"The Mix" (Soft puppy food mixed with puppy hard food)	<b>2 X</b>	<u>Dhpp / Bordatella</u> on intake and <u>dhpp</u> every 2 weeks until 20 weeks of age	Strongid after intake and again in 2 weeks  Ponazaril once  Droncit once	<u>Flea meds</u> every 4 weeks
<b>Small breed puppies 8 weeks to 5 months who are less than 5 lbs</b>	Soft Puppy Food	<b>2 X</b>	<u>Dhpp / Bordatella</u> on intake and <u>dhpp</u> every 2 weeks until 5 months of age	<u>Strongid</u> after intake and again in 2 weeks  <u>Ponazuril</u> once  <u>Droncit</u> once	<u>Flea meds</u> every 4 weeks
<b>Puppies between 4 and 8 weeks of age with mom</b>	Soft Puppy Food	<b>2 X</b>	<u>Dhpp / Bordatella</u> on intake (if over 4 weeks) and <u>dhpp</u> every 2 weeks until 5 months of age	<u>Strongid</u> after intake and again in 2 weeks  <u>Ponazuril</u> once  <u>Droncit</u> once	<u>Flea meds</u> every 4 weeks
<b>Puppies between 4 and 8 weeks of age with no mom</b>	Soft Puppy Food (Needs to go into foster asap!)	<b>Multiple</b>	<u>Dhpp / Bordatella</u> on intake (if over 4 weeks) and <u>dhpp</u> every 2 weeks	<u>Strongid</u> after intake and again in 2 weeks  <u>Ponazuril</u> once  <u>Droncit</u> once	<u>Flea meds</u> every 4 weeks
<b>Young dogs 6 months – 1 year</b>	Puppy Hard Food	<b>2 X</b>	<u>Dhpp / Bordatella</u> on intake and <u>dhpp</u> repeat in 3 -4 weeks	<u>Strongid</u> after intake and again in 2 weeks  <u>Ponazuril</u> once  <u>Droncit</u> once	<u>Flea meds</u> every 4 weeks

# CATS

Type	Food	Feeding Times	Vaccine	Deworm	Deflea	FELV/FIV Testing
<b>Adults</b>	Adult Hard Food <i>(1/2 of tiny metal bowl)</i>	<b>1X</b>	<u>FVRCP</u> on intake and again in one month	<u>Strongid</u> with adoption card and in 2 weeks	<u>Flea meds</u> with adoption card and again in 4 weeks	Test if: 1) Says "ok for adoption"; or 2) Level 3 – completed check list; 3) Approved Cat Crew cat
<b>Kittens (under 14 oz)</b>	Must be bottlefed. <i>Euthanize or go into foster within 3 hours.</i>	Multiple	None	None	None	None
<b>Kittens (Over 14 oz-2 lb)</b>	Soft Kitten Food & Small kitten kibble	Multiple	<u>FVRCP</u> on intake and every 2 weeks until 5 months of age	<i>If staying at OAS:</i> <u>Strongid</u> and <u>ponazuril</u> on intake and <u>strongid</u> again in two weeks	<u>If staying at OAS:</u> <u>Flea meds</u> on intake if over 1.75 lbs	None
<b>Kittens</b> <i>(Over 2 lbs to 5 months of age – has adult teeth)</i>	Hard Kitten Food	<b>2X</b>	<u>FVRCP</u> on intake and every 2 weeks until 5 months of age.	<u>Strongid</u> , <u>ponazuril</u> and <u>droncit</u> on intake and <u>strongid</u> again in two weeks.	<u>Flea meds</u> on intake and again in 4 weeks	No Test after 6 months of age
<b>Moms with Kittens</b>	Give bowl of <b>soft food</b> and a separate bowl of <b>hard kitten</b> food	<b>2X</b>	<u>FVRCP</u> on intake and again in one month <i>(Vaccinate kittens if over 1 lb)</i>	<u>Strongid</u> on intake and again in 2 weeks.	<u>Flea meds</u> on intake and again in 4 weeks	Yes
<b>Elderly and /or Emaciated</b> <i>bad teeth</i>	Soft Kitten Food and bowl of hard food	<b>2X</b>	<u>FVRCP</u> on intake and again in one month	<u>Strongid</u> with adoption card and in 2 weeks	<u>Flea meds</u> with adoption card and again in 4 weeks	Only if "ok for adoption"
<b>Cats with URI and Picky eaters –</b> <i>appears to not eat well for 3 days or more</i>	"Stinky Food" and bowl of hard food	<b>2X</b>	<u>FVRCP</u> on intake and again in one month	<u>Strongid</u> with adoption card and in 2 weeks	<u>Flea meds</u> with adoption card and again in 4 weeks	Only if "ok for adoption"

