



NOTE: THIS PLAN IS NOT A LEGAL ENGINEERING DOCUMENT BUT AN ELECTRONIC DUPLICATE. THE SIGNED CITY OF OAKLAND STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION IS AVAILABLE FOR PURCHASE FROM THE CONTRACT ADMINISTRATION DEPARTMENT.

NOTES:

1. BEDDING FOR CONDUIT SHALL BE SAND CONFORMING TO THE GRADATION FOR MORTAR AS SPECIFIED UNDER SECTION 200-1.5 OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, CURRENT EDITION. PERMITTEE MAY ELECT TO ELIMINATE SAND BEDDING AND ENCASE CONDUIT IN SLURRY-CONCRETE BACKFILL.
2. BACKFILL MATERIAL SHALL BE CLASS 280-E-200 SAND SLURRY CONCRETE CONFORMING TO SECTION 201-1 OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, CURRENT EDITION.
4. THIS TRENCH DETAIL IS FOR THE ELECTRICAL UTILITIES AND RELATED FACILITIES ONLY

CITY OF OAKLAND

DESIGN AND CONSTRUCTION SERVICES DEPARTMENT



SPECIAL TRENCH DETAIL
FOR ROCKSAW METHOD
OF TRENCH EXCAVATION

ENGINEERING DESIGN MANAGER

DATE : FEBRUARY 2002

REV. DATE : _____

DWG.

D-35