


CUT 4-1/2" + DIA. HOLE TO ACCEPT O.D. OF 4" PIPE CENTER POLE

TABLE OF DIMENSIONS			
A	BC	H	FOR USE WITH FDN.
12"	11"	1 1/8"	DWG. E-12, E-13, E-14
14"	12 1/2"	1 1/2"	DWG. E-15, E-16, E-17

- * USE FDN. DWG. E-12, E-13, E-14 FOR NEW OR RELOCATION OF ELECTROLIER WITHOUT TRAFFIC SIGNAL MAST ARM
- ** USE FDN. DWG. E-15, E-16, E-17 FOR NEW OR RELOCATION OF ELECTROLIER WITH 15' OR 20' TRAFFIC SIGNAL MAST ARM

NOTE: THIS PLAN IS NOT A LEGAL ENGINEERING DOCUMENT BUT AN ELECTRONIC DUPLICATE. THE SIGNED CITY OF OAKLAND STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION IS AVAILABLE FOR PURCHASE FROM THE CONTRACT ADMINISTRATION DEPARTMENT.


FLANGE DETAIL



WELDING DETAIL

4" EXTRA HEAVY BLACK STEEL PIPE

CUT 1-1/2" X 4" SLOT IN PIPE FOR CABLE ENTRANCE



POLE ASSEMBLY